



Zebra CS60 Handheld bar code reader 1D/2D LED Black

Brand : Zebra

Product code: CS6080-SR40000TSVW

Product name : CS60

Cordless CS60 Companion Scanner, Circular 525nm true green LED, 1280 x 960 pixels, Bluetooth 5.0 BLE, cradle, lanyard

Zebra CS60. Type: Handheld bar code reader, Scanner type: 1D/2D, Sensor type: LED. Connectivity technology: Wireless, Standard interfaces: Bluetooth, USB, Wireless range: 100 m. Product colour: Black, International Protection (IP) code: IP65. Power source type: AC, Battery, DC, USB, Battery type: Built-in battery, Battery life: 18 h. Weight: 83 g, Width: 46 mm, Depth: 109 mm



Scanning		Power	
Type *	Handheld bar code reader	Battery type	Built-in battery
Scanner type *	1D/2D	Number of reads per charge	13000
Sensor type *	LED	Battery life	18 h
Linear (1D) barcodes supported *	Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar, MSI, Plessey, U.P.C.	Charging time	6 h
	Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39	Power consumption	400 mA
2D (matrix & stacked) barcodes supported *		Weight & dimensions	
Optical sensor resolution (W x H)	1280 x 960 pixels	Width	46 mm
Light levels (direct sunlight)	0 - 108000 lx	Depth	109 mm
Wavelength	525 nm	Height	23 mm
Tilt reading angle	-60 - 60°	Weight *	83 g
Pitch reading angle	-60 - 60°	Base weight	138 g
Yaw reading angle	0 - 360°	Base dimensions (WxDxH)	113 x 78 x 107 mm
Ports & interfaces		Packaging data	
Connectivity technology *	Wireless	Charging base	✓
Standard interfaces *	Bluetooth, USB	Operational conditions	
Wireless range	100 m	Operating temperature (T-T)	0 - 50 °C
Bluetooth version	5.0	Storage temperature (T-T)	-40 - 70 °C
Bluetooth Low Energy (BLE)	✓	Operating relative humidity (H-H)	5 - 95%
Performance		Storage relative humidity (H-H)	5 - 95%
International Protection (IP) code	IP65	Battery	
		Battery technology	Lithium Polymer (LiPo)
		Battery capacity	735 mAh

Performance		Technical details	
LED indicators	✓	Compliance certificates	RoHS
Product colour *	Black	Logistics data	
Power		Harmonized System (HS) code	84716070
Power source type *	AC, Battery, DC, USB		



8596375236615



5715063520642

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.