



Xerox VersaLink C415_DN multifunction printer Laser A4 1200 x 1200 DPI 40 ppm

Brand : Xerox

Product family: VersaLink

Product code: C415_DN

Product name : C415_DN

VersaLink C415 A4 40ppm Duplex Copy/Print/Scan/Fax PS3 PCL5e/6 2 Trays 251 Sheets

Xerox VersaLink C415_DN. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 40 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A4. Direct printing. Product colour: Grey, White



Printing		Paper handling	
Duplex printing mode	Auto	Auto Document Feeder (ADF) media weight	52 - 120 g/m ²
Print resolution colour	1200 x 1200 DPI	Ports & interfaces	
Print resolution black	1200 x 1200 DPI	Direct printing *	✓
Print technology *	Laser	USB port	✓
Printing *	Colour printing	USB connector	USB Type-A / USB Type-B
Duplex printing *	✓	USB 2.0 ports quantity	2
Maximum resolution *	1200 x 1200 DPI	Optional connectivity	Wireless LAN
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Network	
Print speed (colour, normal quality, A4/US Letter)	40 ppm	Wi-Fi *	✗
Warm-up time (from sleep mode)	2.8 s	Ethernet LAN *	✓
Time to first page (black, normal)	6.2 s	Cabling technology	10/100/1000Base-T(X)
Time to first page (colour, normal)	6.8 s	Ethernet LAN data rates	10,100,1000 Mbit/s
N-in-1 print function	✓	Near Field Communication (NFC)	✓
N-up printing	2, 4, 6, 8, 9, 16	Security algorithms	256-bit AES, 802.1x RADIUS, FIPS 140, HTTPS, IPsec, SHA-256, SNMP, SNMPv2, SNMPv3, TLS
Watermark printing	✓	Supported network protocols (IPv4)	✓
Cover page printing function	✓	Supported network protocols (IPv6)	✓
Booklet printing function	✓	Management protocols	TCP/IP: HTTP/HTTPS, IPP/IPPS, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD
Copying		Mobile printing technologies	Apple AirPrint, Mopria Print Service, Xerox PrintBack
Duplex copying *	✓	Performance	
Duplex copying mode	Auto	Internal storage capacity	32 GB
Copying *	Colour copying	Storage media	eMMC
Maximum copy resolution *	600 x 600 DPI		
Time to first copy (black, normal)	6.2 s		
Time to first copy (colour, normal)	7 s		
Maximum number of copies	9999 copies		

Copying		Performance	
Copier resize	25 - 400%	Internal memory *	2000 MB
N-in-1 copy function	✓	Built-in processor	✓
Copy programming function	✓	Processor frequency	1200 MHz
ID-card copy function	✓	Processor cores	4
Edge erase function	✓	Sound pressure level (printing)	54 dB
Scanning		Sound pressure level (standby)	14 dB
Scanning *	Colour scanning	Sound power level (printing)	68 dB
Optical scanning resolution *	600 x 600 DPI	Sound power level (standby)	31 dB
Maximum scan area	216 x 356 mm	Design	
Scanner type *	Flatbed & ADF scanner	Product colour *	Grey, White
Scan to	E-mail, FTP, HTTP, Network folder, SMB, TWAIN, USB	Market positioning *	Business
Image formats supported	JPEG, TIFF	Built-in display *	✓
Document formats supported	PDF	Display	LCD
Output colour depth	24 bit	Display diagonal	17.8 cm (7")
Output greyscale depth	8 bit	Control type	Buttons, Touch
Scan drivers	TWAIN, WIA	Colour display	✓
Fax		Power	
Faxing *	Mono faxing	Power consumption (printing)	570 W
Fax resolution (black)	600 x 600 DPI	Power consumption (standby)	29 W
Modem speed	33.6 Kbit/s	Power consumption (sleep)	1.3 W
Auto-redialing	✓	AC input voltage	220 - 240 V
Speed dialling	✓	AC input frequency	57/63 Hz
Fax forwarding	✓	System requirements	
Fax delayed sending	✓	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Auto reduction	✓	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra
Features		Linux operating systems supported	✓
Maximum duty cycle *	125000 pages per month	Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Duplex functions *	Copy, Print	Mobile operating systems supported	Android, iOS
Number of print cartridges *	4	Operational conditions	
Printing colours *	Black, Cyan, Magenta, Yellow	Operating relative humidity (H-H)	15 - 80%
Page description languages	PCL 5c, PCL 6, PDF, PostScript 3	Operating temperature (T-T)	10 - 32.2 °C
Printer fonts	PCL, PostScript	Weight & dimensions	
Number of PCL fonts	93	Width	478 mm
Number of PostScript fonts	173	Depth	475 mm
Country of origin	China	Height	491 mm
Input & output capacity		Weight	27.1 kg
Total number of input trays *	2	Packaging data	
Total input capacity *	251 sheets	Package width	575 mm
Total output capacity *	150 sheets	Package depth	636 mm
Paper tray 1 input capacity	250 sheets	Package height	600 mm
Auto document feeder (ADF)	✓	Package weight	32.3 kg
Auto document feeder (ADF) input capacity	100 sheets	Packaging content	
Manual feeder	✓	Cartridge(s) included	✓
Maximum output capacity	150 sheets	Included cartridge capacity (black)	2400 pages
Paper handling		Included cartridge capacity (CMY)	2000 pages
Maximum ISO A-series paper size *	A4	Cables included	AC
Paper tray media types *	Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Lightweight paper, Plain paper, Pre-printed, Recycled paper, Rough paper	Power cord included	✓
ISO A-series sizes (A0...A9) *	A4, A5	Quick installation guide	✓
Custom media width	97 - 216 mm	Other features	
Custom media length	148 - 356 mm	Number of users	5000 user(s)
Paper tray media weight	60 - 216 g/m²	Current rating	3.6 A

Other features	
Languages support	Multi
Documentation CD	✓



0095205041118



095205041118

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.